

QDF Layout

At project start:			
C C <i>locationLwidth</i>	Card number location		
C D <i>filename</i>	Default data file		
C E <i>length</i>	Maximum length for entry names		
C F <i>length</i>	IDF name (Reflect only)		
C G <i>locationLwidth</i>	Job location		
C I S <i>serial ranges</i>	Six range values comma separated		
C I U <i>upload info</i>	encrypted FTO upload site details		
C J <i>jobname</i>	Job name		
C K <i>length</i>	Digits for card number (default 2)		
C L <i>length</i>	Record or card length		
C M <i>minimum</i>	Minimum records to show in analysis		
C N <i>controls</i>	Additional global controls:		
		(AEET)	Allow empty entry texts
		(ICFT)	Ignore carry forward text
		(IFN)	Individual locations for new entries
		(MFR)	Fixed response locations for multi-coded
		(NEU)	No export of unallocated (not text) responses
		(NSBS)	No scan before save of project
		(NU)	Names upper case
		(PAM)	Paste as multi-coded variable (when pasting single-coded)
		(UNI)	Internal files use UTF8 text
C O <i>order</i>	Order of codes in binary data		
C P	{obsolete}		
C Q <i>[name] title</i>	Project name and title		
C R <i>card O</i>	Card number, followed by O if optional card		
C S <i>locationLwidth</i>	Serial number location and width		
C T A <i>from to</i>	ZZZSR responses for appointments only		
C T B	Back up every record		
C T D <i>from to</i>	ZZZSR responses for dead sample only		
C T E	Input needs call end information		
C T H	Hide telephone numbers		
C T K <i>keys</i>	Sample encryption keys		<i>project%password%identifier</i>

QDF Layout

C T M <i>hours</i>	Hours before private appointment available		
C T P <i>seconds</i>	Seconds to wait for PDS request		
C T S <i>dialler</i>	Dialler protocol	N	Native Companion protocol
		I	INVADE protocol
C U <i>usage</i>	Global options (fixed columns):		
		1	D data files exist (frozen data locations)
		2	L locations fixed (manual data locations)
		3	M Reflect file (only in a QRF)
		4	D double character (DBCS)
		5	T Thai {obsolete}
		6	U reject unallocated responses during data entry
		7	B or A, binary or ASCII data
		8	Q add question names to text for analysis
		9	T use entry names for mean score rows in analysis
		10	E set empty numbers as undefined (not zero), classic only
		11	F fixed record lengths {obsolete}
		12	S or M, single line records or card data format (multiple lines)
		13	R show data locations during data entry
		14	F filtered numbers set to undefined (not zero), classic only
		15	{obsolete}
		16	W Use all digits for response keys
C V <i>version</i>	Version number that created file		
C W Q <i>filename</i>	Quota file name (relative)		
C W T <i>filename</i>	Tables file name (relative)		
C X B A	Add serial button disabled		
C X B N	Not tried button disabled		
C X E A <i>execute details</i>	File or website page info		
C X B P	PDS button disabled		
C X B S	Sample button disabled		
C X F D <i>formats</i>	Default formats for project		
C X N <i>pipename</i>	{obsolete}		

QDF Layout

C X P <i>port</i>	Winsock dialler port		
C X Q <i>address</i>	Winsock dialler TCP address		
C X S <i>studyname</i>	Study name		
C X T <i>pipetype</i>	{obsolete}		
C Y Q <i>filename</i>	PRS file for questionnaire {obsolete}		
C Y R <i>filename</i>	PRS file for reports		
C Y T <i>filename</i>	PRS for tables		
S P C <i>columns</i>	Questionnaire columns {obsolete}		
S P G <i>width</i>	Grid column width {obsolete}		
S P L <i>length</i>	Questionnaire length {obsolete}		
S P N <i>lines</i>	Lines before question {obsolete}		
S P R <i>length</i>	Report length		
S P S <i>width</i>	Report width		
S P W <i>width</i>	Questionnaire width {obsolete}		
S X F <i>footnote</i>	Footnote for project		
In filters			
F B	Filter entry begins		
F [<i>name</i>] <i>text</i>	Filter entry name and text		
L <i>location</i>	Data location to store 0=false, 1=true		
S N (EG, <i>groups</i>)	<i>groups</i> are <i>groupname,colour</i> , repeated for each group that entry is a member of		
T H	Hold filter		
Y <i>definition</i>	Filter definition		
F E	Filter entry ends		
In questions			
Q B	Question entry begins		
Q [<i>name</i>] <i>text</i>	Question entry name and text		
B [<i>filter</i>]	Same as B Q T		
B Q T [<i>filter</i>]	Filter must be true before question or filter is asked		
B Q F [<i>filter</i>]	Filter must be false before question asked		
B R T [<i>entry</i>]	Responses must be true before responses valid		
B R F [<i>entry</i>]	Responses must be false before responses valid		
D <i>text</i>	Base text if more than 1 filter		
L <i>locationL.widthR.repeats</i>	Data location start, number of locations, number of repeats (multi-coded only)		
L <i>locationL.width</i>	Data location start, number of locations		
L <i>location</i>	Data location start (individual response locations)		
S D <i>decimals</i>	Number of decimal places (float questions only)		
S E A [<i>entry</i>]	Auto-select answer from entry		

QDF Layout

SEB	Blank allowed
SEC	Lock answer. Cannot be changed during input if contains data when record is loaded.
SED	Suspend input
SEE	End placement for data locations
SEF	Front placement for data locations
SEL	Lower case text entered
SEM	Move on when full (integer and character only)
SEO	Start response keys with zero
SEP [entry]	Pre-select answer from entry
SEQ	Quota entry
SER [random]	Randomize responses. Optional named <i>random</i> ZZZRANxxx.
SES	Sample point entry
SEU	Upper case text entered
SEV <i>low<>high plus plus</i>	Range of valid values and extra
SEX <i>name</i>	Name of program to execute: ProcessRecord <i>name</i> .exe
SEY constant	Constant text set during data entry (max 30 characters)
SFB <i>picture</i>	File name of picture to show
SN (EG, <i>groups</i>)	<i>groups</i> are <i>groupname, colour</i> , repeated for each group that entry is a member of
SP	{obsolete}
TC	Character
TH	Time
TI	Integer
TM	Multi-coded
TS	Single-coded
TT	None (interviewer text)
TV	Verbatim
TW	Float (weight)
TY	Date
XA <i>text</i>	Extra text after {obsolete}
XB <i>text</i>	Extra text before {obsolete}
XC [entry]	Code verbatim to entry
XI (<i>colour</i>) <i>text</i>	Interviewer text
XP <i>text</i>	Extra text puncher {obsolete}
XQ [entry]	Routing to entry (for printing only)
XR <i>text</i>	Routing text, <i>text</i> can also be <close> or <ineligible>
QE	Question entry ends

In question responses

QDF Layout

R <i>text</i>	Response starts
B <i>filter</i>	Filter must be true for the response to be valid
L <i>location/code</i>	Data location and code (V-9) for response (individual response locations)
O B	Base for following response
O E	Rank end
O P	Page throw
O R	Rank begin
O S	Suppress always
O V <i>value</i>	Value score
O X	No figures (percentages only)
O Z	Zero suppress
S L	{obsolete}
T D	Suspend input
T F	Fixed position when randomized
T I	Ignore response filter
T K	Refuse input
T P	Print only {obsolete, use refuse instead}
T R	Embedded reject response
T S	Single, not allowed with other responses
T U	Supplemental reject (user defined reject)
X A	Extra text after {obsolete}
X B	Extra text before {obsolete}
X P <i>text</i>	Extra text puncher {obsolete}
X Q [<i>entry</i>]	Routing to entry (for printing only)
X R <i>text</i>	Routing text, <i>text</i> can also be <close> or <ineligible>
In variables	
V B	
V [<i>name</i>] <i>text</i>	Variable entry name and text
B [<i>filter</i>]	Same as B Q T
B Q T [<i>filter</i>]	Filter must be true before question or filter is asked
B Q F [<i>filter</i>]	Filter must be false before question asked
D <i>text</i>	Base text if more than 1 filter
S D <i>decimals</i>	Number of decimal places (float variables only)
S E I	Ignore case when testing character questions
S E Q	Quota entry
S E S	Sample point entry
S E Z	Make zero if arithmetic is undefined

QDF Layout

S N (EG,groups)	groups are <i>groupname,colour</i> , repeated for each group that entry is a member of
S V F	Allow forward references (for randomized entries)
T I	Integer
T M	Multi-coded
T S	Single-coded
T W	Float (weight)
Y <i>definition</i>	Arithmetic definition (integer and float variables only)
V E	Variable entry ends

In variable responses

R <i>text</i>	Response starts
O B	Base for following response
O C	Sum (count) previous rows
O E	Rank end
O P	Page throw
O Q	Ignore this row for following Sum (count) row
O R	Rank begin
O S	Suppress always
O X	No figures (percentages only)
O V <i>value</i>	Value score
Y <i>definition</i>	Response definition (filter or T, F or R)
O Z	Zero suppress

In program entries

P R B [<i>name</i>] [<i>random</i>]	Random question or set begins. Optional named <i>random</i> ZZZRANxxx.
P R E [<i>name</i>]	Random question or set ends

In grids {obsolete}

G B [<i>name</i>] <i>text</i>	Grid begins
T V	Vertical
T H	Horizontal
G Q	Questions follow
E <i>text</i>	Element
G R	Responses follow
G E	Grid ends